

RESTRICTED

BUMED NEWS LETTER INDEX

Volume 2, Numbers 1 - 13

from

July 9 through December 24, 1943





ABANDONING SHIP, recipe for, 5:11  
 ACCIDENTS, motor vehicle, 1942  
     death rate, 13:13  
     night flying, 12:23  
     Prevention of with "scotchlite",  
         3:4  
     psychological proneness to, 8:12  
 ACCLIMATIZATION, high tempera-  
     ture, 10:11  
 ACETYL-B.METHYLCHOLINE,  
     paroxysmal tachycardia, 13:18  
 ACROCYANOSIS, atypical pneumonia,  
     cold autohemagglutinins follow-  
     ing 12:12  
 ACRYLIC RESIN DENTURES, proces-  
     sing of, 2:16  
 ADAMSITE, chemical warfare chart,  
     10:21  
 ADAPTOMETER, directions for use,  
     13:25  
     night vision testing, 7:12  
 AIR, decontamination of, 11:3  
     evacuation, 1:3  
     sickness, 5:13  
 ALCOHOL, atabrine and, 11:4  
     immunization and, 8:13  
 ALKALI, use in renal complications,  
     11:11  
 ALLERGY, parenteral fluid adminis-  
     tration, reaction to, 13:5  
 ALLOTMENT, expenditures and ob-  
     ligations, 7:23  
 ALLOXAN, experimental diabetes,  
     6:6  
 ALNAV, bills of health, 5:19  
     cholera vaccine, 5:18  
     national service life insurance, 11:24  
 AMBLYOPIA, hysterical, 6:7  
 AMOEBAE, removal of from water,  
     13:3  
 AMPUTATIONS, pain after, 12:5  
     refrigeration anesthesia in, 7:7  
 ANEMIA, carcinoma and tuberculosis  
     with, 3:11  
 ANESTHESIA, refrigeration, 7:7  
 ANESTHETIC, German, 2:12  
 ANOPHELES ALBIMANUS, control  
     of, 3:11  
 ANOXIA, fulminating, 6:10  
 ANTIGEN, Kahn, 11:13  
 ANTITOXIN, gas-gangrene, 5:8  
 APA MATERIAL, preparation and  
     submission of, 11:26  
 APPENDECTOMIES, by hospital corps-  
     men, 4:3  
 ARM, sling, 9:13  
 ARSENOTHERAPY, new substance in,  
     8:3  
 ARSINE, chemical warfare chart, 10:20  
 ARTERIES, ligation of, 4:13  
 ARTERIOSCLEROSIS, epinephrine in,  
     2:8  
 ARTICLES, publication of, 11:28  
 ARTIFICIAL RESPIRATION, methods  
     for, 3:25  
 ASCORBIC ACID, requirements and  
     equivalents, 12:16  
 ATABRINE, alcohol and, 11:4  
     American vs. German, 10:8  
     concentration in plasma, 3:5  
     intramuscular injection of, 8:22  
     toxicity, 10:8; 12:17  
 AVIATION, air sickness, 5:13  
     carbon monoxide and, 4:11  
     effect of noise on personnel, 6:9  
     sick list, 2:26  
 ATELECTASIS, traumatic, 12:3  
 ATMOSPHERIC PRESSURE, reduced,  
     repeated exposure to, 12:17  
 AUTOHEMAGGLUTININS, atypical  
     pneumonia, 6:16  
     cold, atypical pneumonia and acro-  
     cyanosis, 12:12  
 AUTOKINETIC MOVEMENT, night  
     flying accidents and, 12:23  
 BACILLARY DYSENTERY, treatment  
     of, 6:13  
     succinylsulfathiazole in, 2:12  
     sulfaguanidine in, 2:11  
 BACILLI, tubercle in books, 1:11  
 BACTERIA, penicillin-fast, 3:6  
 BACTEREMIA, penicillin in, 2:22



BAL OINTMENT, use for gas casualties, 1:20  
 BEANS, digestibility of, 10:4  
 BEDCLOTHES, decontamination of, 11:3  
 BENZYL BENZOATE, scabies and, 2:17  
 BILLS OF HEALTH, necessity for, 5:19  
 BLADDER, stones in, 3:9  
   visualization, 4:17  
 BLAST, death, 4:7  
   ear injuries, 9:9  
 BLINDNESS, color, 11:6  
 BLOOD, adequate amounts important, 2:5  
   derivatives, 10:7  
   diluted, 4:15  
   emergency transfusions, 3:10  
   groups, errors in, 11:11  
   heated, parenteral fluid administration of, 13:5  
   plasma, 1:17  
   supply in wound healing, 12:15  
   transfusion and malaria, 12:10  
   whole, addition of glucose to, 10:4  
   whole, copper sulfate method, addendum to, 2:4  
   whole, filtration of, 4:15  
   whole, merits of, 8:1  
   whole, military use safe, 12:19  
   whole, penicillin in, 10:14  
   whole, transfusion, 1:8  
 BLOOD PRESSURE, in essential hypertension, 3:9  
 BOOKS, tubercle bacilli in, 1:11  
 BORIC ACID, toxicity, 5:9  
 BOTANICAL MATERIAL, identification of, 3:6  
 BROMBENZYL CYANIDE, chemical warfare chart, 10:21  
 BRUCELLOSIS, ankylosing spondylitis in, 4:4  
   discussion of, 4:3  
 BULLIS FEVER, new tick-borne disease, 7:11

BUMED NEWS LETTER, availability of, 3:20  
   principal purpose of, 7:18  
 BUPERS MANUAL, changes in, 6:25  
 BUR, allowance, 5:19  
 BURNS, boric acid and, 5:9  
   chemical, phosphates in therapy of, 13:15  
   detergents, 3:4  
   emergency treatment of, 1:4  
   flash, 2:19  
   flash ointment, 8:4  
   petrolatum in, 8:3  
   plaster casts for, 7:4  
   pulmonary irritation in, 1:8  
   red blood cells, destruction of, 12:24  
   shock, 4:13  
   shock, prevention of, 3:7  
   sodium salts in, 7:2  
   suggested treatment for, 1:3  
   treatment of, 5:9  
 BURSITIS, x-ray therapy of, 5:10  
 CANCER, 1942 death rate, 13:13  
 CARBON DIOXIDE, expectorant, use as, 11:20  
   injury due to, 2:3  
 CARBON MONOXIDE, aviation and, 4:11  
   inhalation of, 4:10  
   poisoning, 8:8  
 CARCINOMA, tuberculosis and, 3:11  
 B.-CAROTENE, requirements and equivalents, 12:16  
 CASUALTIES, battle, 1:3  
   gas, 4:26  
   gas and lewisite, 1:20  
   psychiatric, 6:1  
 CATARRHAL FEVER, diagnosis of, 10:13  
 CAUSALGIA, 13:11  
 CELLULOSE, oxidized, 10:7  
 CEREBRAL FUNGUS, traumatic, 9:1  
 CEREBROSPINAL FEVER, sulfonamides in, 11:9  
   see also Meningococcus meningitis  
 CHANCROID, differential diagnosis, 3:1



CHEMICAL WARFARE, chart, 10:20  
 mustard and lewisite casualties,  
 1:20  
 psychological aspects of, 4:10  
 CHEST, injuries of, 12:1  
 x-ray, 3:11  
 x-ray surveys of, 7:2  
 CHICKENPOX, isolation of, 4:2  
 CHLORACETOPHENONE, chemical  
 warfare chart, 10:21  
 CHLORINATION, Lyster bags, 7:16  
 CHLORINE, chemical warfare chart,  
 10:20  
 water, removal of taste, 12:21  
 CHLOROFORM, contraindicated in  
 dentistry, 2:16  
 CHLORPICRIN, chemical warfare  
 chart, 10:20  
 CHOLERA, China, Kweilin Province,  
 11:23  
 India, 6:19  
 sulfaguanidine in, 11:9  
 CLOSTRIDIUM WELCHII, toxoid, 7:13  
 CLOTHING, delousing with methyl  
 bromide, 9:20  
 in relation to environment, 2:19  
 wet, 3:11  
 COCCIDIOIDOMYCOSIS, program for,  
 9:16  
 COLD WATER, immersion in, 5:5  
 COLITIS, amebic and bacillary, 4:19  
 COLOR BLINDNESS, vitamin A and,  
 11:6  
 COMMUNICABLE DISEASE, isolation  
 of, 4:1  
 CONCUSSION, electro-encephalogram  
 in, 12:4  
 thoracic, 12:3  
 CONVALESCENT LEAVE, establish-  
 ment of, 8:23  
 CONVALESCENT PERSONNEL, indus-  
 trial incentive work for, 2:15  
 COOKING, vitamin C loss in, 13:19  
 COPPER SULFATE METHOD, adden-  
 dum, 2:4  
 CORRESPONDENCE, additional  
 copies, 7:24  
 unavailable references, 1:28  
 COS, island of, 11:4  
 COTTON SUTURES, use aboard ship,  
 1:2  
 CRIME, factors in, 1:14  
 CROSSMATCHING, pooled plasma,  
 6:18  
 CRUDE OIL, chemical warfare chart,  
 10:20  
 CULTURES, rectal, simple method of  
 obtaining, 12:8  
 CUTANEOUS SENSITIZATION, sulfa-  
 thiazole, 7:9  
 CYSTS, amebic, removal of from  
 water, 13:3  
 pilonidal, 2:2  
 sacroccygeal, 1:8  
 CYSTITIS, chemical, 3:9  
 DARK ADAPTATION, sunlight, effect  
 on, 13:11  
 DARK-FIELD, microscopic technic,  
 2:18  
 DELOUSING, methyl bromide in, 9:20  
 DEATH RATE, 1942, 13:13  
 DENGUE, epidemiology of, 5:14  
 Honolulu, T.H., 13:21  
 DENTAL, bur allowance, 5:19  
 cases to Veterans Administration,  
 6:7  
 education, 3:23  
 examinations, 9:27  
 first aid, 3:12  
 prosthetic treatment, 3:27; 3:22  
 Ritter units, prevention of corrosion  
 in, 12:23  
 technologists prosthetic, 4:25  
 DENTAL CORPS, examination for,  
 9:27  
 DENTAL FILM, paper fastener test,  
 3:26  
 DENTAL FLOSS, knitting wool, 11:21  
 DENTIFRICES, abrasive, 7:17  
 DENTISTRY, chloroform in, 2:16  
 sulfonamides in, 8:14



DEPENDENTS, medical care for, 9:22

DERMATITIS, Dhobie-Mark, 7:10  
plant, 5:14  
schistosome, 9:4

DESALINIZATION, chemical, vs. solar distillation, 12:21

DESERT SORES, sunlight and, 3:3  
tropical ulcers and, 9:2

DETERGENTS, burns, 3:4  
first-aid use of, 2:15

DEVELOPER, fluorographic films, 8:12

DHOBIE-MARK, dermatitis, 7:10

DIABETES, 1942 death rate, 13:13  
experimental, 6:6  
rabbits, 3:14

DIET, protein, 3:7

DIPHENYLCHLORARSINE, chemical warfare chart, 10:21

DIPHOSGENE, chemical warfare chart, 10:20

DIPHThERIA, isolation of, 4:3

DIRT, detergents for the removal of, 3:4

DISHES, sterilization of, 6:5

DISTANCES, visible, 1:11

DISTILLATION, solar, vs. chemical desalinization, 12:21

DIVING, gas masks, 8:5

"DOCTORS AWEIGH", review of, 8:13

DONORS, group "O", 3:10

DRESSINGS, rubber tissue, 1:11

DRINKING WATER, sterilization of, 2:19; 8:22

DRUGS, hypotensive, 3:9  
sedation therapy, 6:1

DUODENAL ULCER, jejunal grafts in, 11:18

DYSENTERY, bacillary, succinylsulfa-thiazole in, 2:12  
bacillary, sulfaguanidine in, 2:11  
bacillary, sulfonamides in, 6:13  
carriers, sulfonamides and, 12:8  
sulfonamides, comparative effectiveness of, 12:9

EAR, blast injuries, 9:9  
defenders, 7:9  
infections, otomycotic, 13:13

ECONOMY, materiel, 2:7

EDUCATION, hospital corpsmen, 3:23  
medical and dental officers, 3:23  
medical teaching films, 6:21  
V-12 program, 5:19

ELECTROCARDIOGRAM, in primary atypical pneumonia, 7:6  
deep Q3, 4:19  
fulminating anoxia, 6:10

ELECTRO-ENCEPHALOGRAM, concussion, use in, 12:4

ELECTROSURGERY, wound healing, 12:15

EMBOLISM, fat, 5:18

EMERGENCIES, navigation in, 1:12

EMPHYSEMA, mediastinal, 12:4  
subcutaneous, 12:4

EMPYEMA, penicillin in, 2:22

ENDOCARDITIS, pneumococci isolated, 5:12

EPIDEMIC HEPATITIS, 5:1

EPIDEMIOLOGY, poliomyelitis, 3:7

EPIGLOTTIS, jamming of, 4:7

EPILEPSY, water-pitressin test in, 13:20

EPINEPHRINE, role in arteriosclerosis, 2:8

ERGOSTEROL, requirements and equivalents, 12:16

ERRATUM, microbe article reference, 8:22

ETHYLDICHLORARSINE, chemical warfare chart, 10:20

EXAMINATIONS, annual physical, 10:22

EXCISION, technic of, 4:16

EXHAUSTION, heat, 5:13

EYES, color blindness, 11:6  
dark adaptation, 13:11  
mustards in, 2:13  
night vision, 11:4  
optical units, 10:25  
sulfonamides in, 2:11  
war injuries, 10:9



EXPECTORANT, carbon dioxide, 11:20  
 FACE, shield for, 11:17  
     war wounds of, 7:16  
 FALSE POSITIVE, Kahn, 1:5  
 FAT EMBOLISM, diagnosis of, 5:18  
 FATIGUE, combat, sedation for, 6:1  
 FEET, fungus infections of, 9:6  
     march fracture of, 9:6  
 FIBRINOGEN, blood derivative, 10:7  
     skin grafting, 10:7  
 FIBROSITIS, tocopherol therapy, 4:14  
 FILARIASIS, Samoan area, 9:3  
 FILMS, fluorographic, 8:12  
     medical teaching, 6:21  
     use of seawater for washing, 1:14  
 FIRST AID, dental, 3:12  
     detergents in, 2:15  
     kits, auxiliary, 4:24  
     packages without sulfonamides, 9:10  
     packet, interpretation of allowance,  
         1:27  
 FITNESS, flying, 5:13  
 FLASH-BURNS, ointment for, 8:4  
 FLIES, poliomyelitis vectors, 7:6  
 FLOORS, decontamination of, 11:3  
 FLUOROGRAPHIC FILMS, developer  
     for, 8:12  
 FLYING, gas pains, 1:9  
 FOOD, poisoning, ham, 5:3  
     vitamin C loss in, 13:19  
 FOREIGN REPORT, Public Health  
     see specific disease.  
 FORM F CARD, aviation personnel  
     designation of, 2:26  
     aviation squadrons designation of,  
         3:28  
 FORM LETTERS, adaptometer, direc-  
     tions for use, 13:25  
     allotment form, modification of, 7:23  
     annual physical, 10:22  
     APA material, 11:26  
     articles and speeches, 11:28  
     availability of plant catalog, 7:25  
     aviation personnel designation on  
         Form F card, 2:26  
     aviation squadrons designation, 3:28

## FORM LETTERS

    convalescent leave status for of-  
         ficers, 8:23  
     correspondence, 1:28  
     correspondence, additional copies,  
         7:24  
     dental corps, examination for, 9:27  
     dental technologists, prosthetic,  
         4:25  
     dependents, medical care, 9:22  
     first-aid kits, auxiliary, 4:24  
     first-aid packet, interpretation of  
         allowance, 1:27  
     gas casualties, 4:26  
     gas and lewisite protection, 1:20  
     historical data, 13:24  
     hospital care for enlisted dependents,  
         2:25  
     hospitalization, interdepartmental,  
         3:29  
     hospitalization, suspension of reim-  
         bursement, 5:22  
     national service life insurance, 3:30  
     luminous materials for shipboard  
         use, 7:18  
     Manual, changes in, 6:24  
     medical stores, 13:23  
     merchant seamen, free medical  
         care for, 11:25  
     mosquito specimens, 5:24  
     Navy radium plaque adaptometer,  
         13:25  
     New Orleans Hospital, establishment  
         of, 10:25  
     optical units, 10:25  
     penicillin, appeals for, 5:20  
     penicillin, instructions on use of,  
         2:20  
     plague vaccine, use of, 5:21  
     plasma, regeneration and use of,  
         1:19  
     prosthetic dental treatment, 3:27  
     radar, 3:26  
     reciprocal medical care, 1:25  
     Red Cross supplies, acceptance of,  
         10:24  
     submarine training for PhM, 5:26



FRACTURES, compound, suggested treatment for, 1:3  
 mandibular, 11:13  
 march, 9:6  
 penicillin, use of, 2:22  
 slow union of, 4:7  
 FROST-BITE, injuries due to, 6:10  
 FRUIT, fermentation of in unventilated holds, 6:14  
 FUEL OIL, detergents for removal of, 3:4  
 FUMIGANT, methyl bromide, 9:20  
 FUND, Naval Hospital, 2:15  
 FUNGUS, cerebral, 9:1  
 feet and groin, 9:6  
 FUSOSPIROCHETOSIS, Vincent's, 13:16  
 GALL BLADDER, visualization, 4:17  
 GALLSTONES, experimental production of, 3:9  
 GANGRENE, antitoxin, 5:8  
 gas, 5:6  
 toxoid, 7:13  
 GAS, casualties, 4:26  
 caused by rotting fruit in ship holds, 6:14  
 masks for diving, 8:5  
 nitrogen mustards, 2:13  
 pains while flying, 1:9  
 toxoid, 7:13  
 GAS GANGRENE, 5:6  
 antitoxin, 5:8  
 toxoid, 7:13  
 GERMAN, anesthetic, 2:12  
 epidemic hepatitis, 4:9  
 infected wounds, 2:11  
 GIEMSA, stain, 4:13  
 GLANDS, suprarenal, effect of reduced atmospheric pressure on, 12:17  
 GLUCOSE, whole blood preservation by, 10:4  
 GLYCOSURIA, Army cases of, 2:8  
 GONORRHEA, penicillin in, 2:18;  
 2:22; 6:6; 10:6  
 urea in treatment of, 13:18  
 GRAFTING, skin, 4:7; 10:7

GRANULOCYTOPENIA, sulfanilamide and, 11:10  
 GRANULOMA INGUINALE, differential diagnosis, 3:1  
 GREASE, detergents for removal of, 3:4  
 GROIN, fungus infections of, 9:6  
 GUADALCANAL, evacuation of wounded from, 1:3  
 GUMS, Vincent's infection of, 13:16  
 HAM, food poisoning and, 5:3  
 HAND, surgery, 9:9  
 HEAD, injuries, shorter period of bed rest for, 9:1  
 ligation of arteries supplying, 4:13  
 penetration by line-carrying spike, 1:2  
 wounds, open treatment of, 8:9  
 HEALTH SHACKS, 11:22  
 HEART, disease, 1942 death rate, 13:13  
 HEAT, chemical pads for, 6:20  
 exhaustion, corrective measures for, 5:13  
 HEMOLYSIS, reaction to parenteral fluid administration, 13:5  
 HEMOLYTIC ANEMIA, sulfanilamide and, 11:10  
 HEMOLYTIC STREPTOCOCCUS, penicillin for, 10:14  
 HEPARIN, tolerance, 7:10  
 HEPATIC DAMAGE, sulfanilamides and, 11:10  
 HEPATITIS, epidemic, 5:1  
 epidemic, German report on, 4:9  
 epidemic in Tunisia, 4:10  
 pathology of, 11:20  
 transmission by human serum inoculation, 8:7; 13:5  
 HERPES ZOSTER, motor complications, 2:5  
 HIPPOCRATES, Island of Cos and, 11:4  
 HOSPITAL, care, reciprocal, 1:25  
 care for enlisted dependents, 2:25  
 Mobile, general information in re, 2:6



## HOSPITAL

New Orleans, establishment of,  
2:24

trust fund, 2:15

HOSPITAL CORPSMEN, education of,  
3:23

eligible for V-12, 5:19

HOSPITALIZATION, interdepartmen-  
tal, 3:29

suspension of reimbursement, 2:27  
5:22

HOT CLIMATE, salt and water re-  
quirements in, 4:8

HUMAN SERUM, jaundice following  
inoculation of, 8:7

shock and hypoproteinemia, use of  
in, 12:19

HYDROCYANIC ACID, chemical war-  
fare chart, 10:20

HYPERTENSION, essential, 3:9  
production of, 4:13

HYPERVENTILATION TETANY, re-  
lief of, 1:8

HYPOPROTEINEMIA, human serum  
albumin in treatment of, 12:19  
wound healing, 12:6

HYPOPROTHROMBINEMIA, after  
salicylate administration, 4:14

HYPOTHYROIDISM, tolerance increased,  
for thyroid substance, 7:8

HYDRATION, tongue as an index of,  
11:21

HYSTERICAL AMBLYOPIA, treatment  
for, 6:7

IMMERSION FOOT, cause of pain, 7:2  
symptoms and treatment, 6:10

IMMUNE SERUM, ineffectiveness in  
typhoid, 2:7

IMMUNIZATION, alcohol and, 8:13  
false positive Kahns, 1:5

IMPETIGO, sulfadiazine therapy, 11:11

INCENTIVE WORK, industrial, 2:15

INDIA, medical data on, 8:15

INDUSTRIAL INCENTIVE WORK, con-  
valescent personnel, 2:15

INFANT CARE, enlisted dependents,  
2:25

INFECTIONS, fungus, 9:6

meningococcus, 11:15

nose and throat, 5:18

otomycotic, 13:13

respiratory, 3:14; 11:1; 12:6

salmonella, 4:18

streptococcus, 4:2; 11:1

Vincent's, 13:16

wound, 12:15

INFLUENZA, death rate 1942, 13:13  
diagnosis, 10:13

INFORMATION, request for to BuMed,  
13:8

INFUSION, reactions to pyrogens, 2:10

INJECTION, intramuscular, atabrine,  
8:22

intravenous, resuspended red cells,  
12:20

subcutaneous, prolongation of action  
by zinc, 6:6

INJURIES, blast, 4:7

chest, 12:1

due to cold, 6:10

ear, 9:9

explosive, carbon dioxide, 2:3

face, 7:16

hand, 9:9

head, 9:1

nerves, 4:4

ophthalmic, 10:9

INOCULATION, human serum, jaun-  
dice following, 8:7

INSECT REPELLENTS, effectiveness,  
2:19

INSTRUCTION, post-graduate, 4:4

INSURANCE, waiver of premiums, 3:30

INTESTINES, obstruction of, 1:7

IODINE, water sterilization, 2:19

removal of taste in water, 12:21

IRRITANTS, skin, 6:18

ISLAND OF COS, Hippocrates' birth-  
place, 11:4

ISLETS OF LANGERHANS, necrosis  
of, 3:14

ISO-AGGLUTINATION TESTS, errors  
in, 2:3

ISOHEMAGGLUTININ, titer of pooled plasma, 6:18

ISOLATION, communicable disease, 4:1

JEJUNAL GRAFTS, duodenal ulcer, surgical treatment of, 11:18

JAUNDICE, epidemic, Tunisia, 4:10  
epidemic hepatitis, 5:1

following human serum inoculation, 8:7

KAHN, false positive, 1:5

KAHN ANTIGEN, stopper protection for, 11:13

KIDNEYS, epinephrine in, 2:8

KITS, first-aid, 4:24

KNITTING WOOL, dental floss, 11:21

LABYRINTH, motion sickness, role in, 11:21

LAND AND SEA, SURVIVAL ON, 10:18

LARVICIDES, contact poisons, 6:14

LARYNGITIS, streptococci in, 5:18

LEAVE, convalescent, 8:23

LENSES, shatterproof, 7:14

LEUKOPENIA, malignant, 2:3

LEWISITE, blister fluid not vesicant, 6:18

chemical warfare chart, 10:20

prevention and decontamination, 1:20

LIFE INSURANCE, modification of requirements, 11:24

waiver of premiums, 3:30

LIGHT CRUISER, casualties aboard, 1:3

LIMB, tourniquet application to, 11:14

LINE-CARRYING SPIKE, penetration of head, 1:2

LIVER, disease, 13:5

fraction, 3:7

tannic acid toxicity, 9:19

LUMINOUS MATERIALS, use on ship-board, 7:18

LYMPHOGRANULOMA VENEREUM, differential diagnosis, 3:1

LYSTER BAG, 9:10; 7:17

MALARIA, blood transfusion and, 12:10  
breeding places for mosquitoes, 2:2

control, 2:19

free area, map of, 4:20

## MALARIA

military control, 2:1

penicillin in, 10:15

relapse in, 12:11

suppressive treatment, 3:5

symptomatology, 7:15

terminology, 5:3

Wavell's order, 2:1

MALAYSIAN-POLYNESIAN, botanical material, 2:6

MALTA FEVER, see BRUCELLOSIS

MASKS, face, 1:1

gas, 8:5

MATERNITY CARE, enlisted dependents, 2:25

MEASLES, isolation, 4:1

MEDICAL CARE, dependents, 9:22  
reciprocal, 1:25

MEDICAL CORPS, officer (WR), 1:6  
present status of, 7:1

MEDICAL DEPT MANUAL, changes in, 6:24

MEDICAL FACTORS, crime, 1:14

MEDICAL OFFICERS, postgraduate instruction, 4:4

MEDICAL STORES, control, issue and invoicing procedures, 13:23

MEDICAL SUPPLIES, packer's plea, 3:20

spare parts, 4:21

MENINGOCOCCUS INFECTIONS:

serum therapy, 11:15

MENINGOCOCCUS MENINGITIS, isolation of, 4:2

penicillin in, 2:22

pneumococci isolation, 5:12

sulfadiazine therapy, 8:9

sulfonamides in, 11:9

MERCHANT SEAMEN, free medical care for, 11:25

METHYL BROMIDE, fumigant for delousing, 9:20

MICROBES, ecology of, 6:7

MICROFILMS, availability, 7:16

MICROSCOPIC TECHNIC, dark-field, 2:18



MILK, pasteurization phosphatase test, 10:15; 12:6  
 MILLER ABBOTT TUBE, use in intestinal obstruction, 1:7  
 MISTAKES, psychological type, 8:12  
 MOBILE HOSPITALS, general information in re, 2:6  
 MOLARS, sulfonamides in, 8:14  
 MOSQUITOES, breeding places for, 2:2  
     specimens, 5:24  
 MOTION SICKNESS, present status of research, 8:4  
     role of labyrinth, 11:21  
 MOTOR COMPLICATIONS, Herpes Zoster, 2:5  
 MUMPS, isolation of, 4:2  
 MUSTARDS, chemical warfare chart, 10:20  
     gas, 1:20  
     gas, liquid, 6:18  
     nitrogen, 2:13  
 NARCOSIS, technic in sedation, 6:1  
 NATIONAL SERVICE LIFE INSURANCE, modification of requirements, 11:24  
     waiver of premiums, 2:15  
 NAVAL HOSPITAL FUND, abolished, 2:15  
 NAVIGATION IN EMERGENCIES, 1:12  
 NEGRI BODIES, rabies, 1:11  
 NEPHRITIS, 1942 death rate, 13:13  
 NERVES, injuries, 4:4  
 NEURONITIS, poliomyelitis vs., 6:16  
 NEW ORLEANS HOSPITAL, establishment of, 2:24  
 NICOTINIC ACID, requirements and equivalents, 12:16  
     trench mouth, 7:17; 13:16  
 NIGHT, flying, accidents and autokinetic movement, 12:23  
     vision, adaptometer in, 7:12  
     vision, adaptometer in, directions for use, 13:25  
     vision, elements of, 11:4  
 NITROGEN MUSTARDS, chart, 10:20  
     new gases, 2:13  
 N.M.R.I. PROJECT REPORTS, Aug., 8:20; Sept., 11:23; Oct., 12:27  
 N.M.S. FORM B, modification, 7:23  
 NOISE, effect on aviation personnel, 6:9  
 NORTH AFRICAN CAMPAIGN, notes, 5:6  
 NOSE, infections, 5:18  
 NUTRITION, protein, 3:8  
 OCULAR INFECTIONS, sulfonamides in, 2:11  
 OIL, application to floor and bedclothes, 11:3  
     detergents, 2:15  
     wounds and, 5:18  
 OINTMENT, flash-burn, 2:19  
     sulfonamide, 3:10  
 OPTICAL UNITS, Navy, 10:25  
     repair, 3:17  
 OSTEOMYELITIS, penicillin in, 2:22  
 OTOMYCOSIS, treatment of, 13:13  
 OXIDIZED CELLULOSE, 10:7  
 OXYGEN, therapeutic, 9:16  
 PAINT, ship's, 3:10  
 PANCREAS, physiology of, 11:16  
 PANCREATIC EXTRACT, ureterospasm, therapy of, 2:16  
 PARENTERAL FLUID ADMINISTRATION, reactions to, 13:4  
 PASTEURIZATION, phosphatase test for, 10:15; 12:6  
 PATHOLOGICAL MATERIAL, collection and shipment of, 8:10  
 PENICILLIN, absorption and excretion, 5:10  
     antibacterial effect, 10:14  
     discovery and isolation, 1:14  
     distribution of, 5:20  
     -fast bacteria, 3:6  
     gonorrhea and, 2:18; 6:6; 10:6  
     instruction letter, 2:20  
     list of hospitals authorized to use, 2:19  
     malaria, 10:15  
     synthesis, 1:9  
     syphilis, 10:6  
 PEPTIC ULCERS, war and, 2:9

PERSONNEL, aviation, sick list, 2:26  
     aviation, noise and, 6:9  
     convalescent, industrial incentive  
         work, 2:5  
     suspension of hospitalization reim-  
         bursement, 2:27  
 PETROLATUM, burns, 8:3  
 PHARMACIST'S MATES, submarine  
     training for, 5:26  
 PHARYNGITIS, streptococci in, 5:18  
 PHLEBOTROMBOSIS, post-operative,  
     7:10  
 PHOSGENE, chemical warfare chart,  
     10:20  
 PHOSPHATASE TEST, milk pasteuriza-  
     tion, 10:15; 12:6  
 PHOSPHATE BUFFER, chemical burn  
     therapy, use in, 13:15  
 PHYSICAL EXAMINATIONS, annual,  
     10:22  
 PILONIDAL CYST, 2:2  
 PLAGUE, Basutoland, Africa, 3:14;  
     6:18  
     Br. E. Africa, 1:10  
     Egypt, 9:11  
     Fr. W. Africa, 8:21; 9:11  
     Indochina, 1:10; 3:15; 6:18; 7:14; 11:23;  
         12:26; 13:21  
     infected rats aboard ship, 7:12  
     Madagascar, 12:26  
     Morocco, 1:10; 3:15; 5:15; 7:14; 11:23;  
         12:26  
     Palestine, 5:15  
     Peru, 5:15; 6:19; 13:21  
     Senegal, 3:15; 5:15; 6:19; 11:23  
     vaccine, use of, 5:21  
 PLANTAR WARTS, 1:6  
 PLANTS, catalog, availability of, 7:25  
     dermatitis from, 5:14  
 PLASMA, adequate amounts important,  
     2:5  
     atabrine concentration in, 3:5  
     chemical and physical chemical changes  
         in, 12:20  
     copper sulfate method notice, 2:4  
     demonstration package, 1:17  
 PLASMA  
     500 c.c. package, 12:19  
     heated, parenteral fluid adminis-  
         tration of, 13:5  
     liquid, 4:8  
     liquid, storage of, 3:21  
     package, whole blood transfusion,  
         1:8  
     penicillin and, 5:10  
     preliminary cross-matching unneces-  
         sary, 6:18  
     room temperature technic for prep-  
         aration of, 12:19  
     use and regeneration, 1:19  
 PLASTER CASTS, burns, use in, 7:4  
 PLATELETS, test for determining  
     stickiness of, 7:10  
 PNEUMOCOCCI, sulfonamides, acquired  
     resistance to, 5:12  
 PNEUMONIA, atypical, cold agglutinins  
     in, 6:16  
     atypical, cold autohemagglutinins and  
         acrocyanosis, 12:12  
     atypical, electrocardiogram altera-  
         tions in, 7:6  
     death rate 1942, 13:13  
     pneumococcic, sputum in prognosis,  
         4:13  
     roentgen therapy in, 2:12  
     sulfonamide therapy in, 9:11  
 PNEUMONITIS, traumatic, 12:3  
 PNEUMOTHORAX, 12:3  
 POISONING, carbon monoxide, 8:8  
 POISON IVY, blister fluid not vesicant,  
     6:18  
 POLIOMYELITIS, epidemiology of,  
     3:7  
     flies, possible vectors of, 7:6  
     isolation of, 4:2  
     neuritis and, 6:16  
     treatment of, 9:14  
 POSTGRADUATE INSTRUCTION, as-  
     signment of medical officers to,  
     4:4  
 PRIODAX, gall bladder visualization  
     with, 4:17



PROCAINE, inhibitory effect of, 1:5  
 PROJECTS, N.M.R.I., August, 8:20;  
     Sept., 11:23; Oct., 12:27  
 PROPHYLAXIS, sanitube, 10:11  
     sulfadiazine, in scarlet fever, 3:6  
     sulfaguanidine, in bacillary dysen-  
     tery, 2:11  
 PROSTHETIC TREATMENT, dental  
     3:22  
     dental, authorization of, 3:27  
 PROTEIN, blood sugar curve and, 3:8  
 PSYCHIATRIC CASUALTIES, seda-  
     tion in, 6:1  
 PSYCHIATRY, reprints available on,  
     6:17  
 PSYCHOLOGY, accidents and mis-  
     takes, type prone to, 8:12  
     chemical warfare, aspects of, 4:10  
 PSYCHONEUROSES, wartime, 3:21  
 PSYCHONEUROTICS, returned to com-  
     bat duty, 11:19  
 PSYCHOSOMATIC MEDICINE, leaven  
     of, 1:17  
     reprints on, 6:17  
 PUBLIC HEALTH FOREIGN REPORT:  
     see Cholera, Dengue, Plague, Smallpox,  
     Typhus Fever, Yellow Fever  
 PULMONARY IRRITATION, burns, 1:8  
 PYRETHRUM, not available for roach  
     control, 13:12  
 PYROGENS, parenteral fluid adminis-  
     tration, reactions to, 13:4  
     reactions, transfusion or infusion, 2:10  
 QUARANTINE, yellow fever, India, regu-  
     lations, 10:4  
 RABIES, Negri bodies in, 1:11  
     prevention of, 11:15  
 RADAR, injury to personnel, no evidence  
     of, 3:26  
 RADIATION THERAPY, acute subdeltoid  
     bursitis, 5:10  
 RADIOACTIVE IRON, transfused human  
     red cells, viability determination by,  
     1:6  
 RATS, specimens, collection and identi-  
     fication of, 12:22  
 RECIPE FOR SURVIVAL, abandon  
     ship technic, 5:11  
 RED BLOOD CELLS, destruction of  
     in burns, 12:24  
     resuspended, intravenous injection  
     of, 12:20  
     transfused human, viability of, 1:6  
 RED CROSS SUPPLIES, acceptance  
     of, 10:24  
 REFRIGERATION ANESTHESIA, 7:7  
 REIMBURSEMENT, hospitalization,  
     suspension of, 5:22  
 RENAL COMPLICATION, sulfadiazine,  
     avoidance with use of alkali, 11:11  
 REPELLENTS, insect, 2:19  
     shark, 6:9  
 REPRINTS, Macy Foundation Service,  
     10:18  
     Macy Foundation Service, psycho-  
     somatic, 6:17  
 REQUISITIONS, checking of, 2:7  
 RESEARCH, instructions, 12:25  
     Naval Medical Institute, 2:19  
     N.M.R.I. project reports, Aug., 8:20  
     N.M.R.I. project reports, Sept., 11:23  
     N.M.R.I. project reports, Oct., 12:27  
 RESPIRATION, artificial, manual vs.  
     mechanical, 3:25  
 RESPIRATORY, infections, sulfa-  
     diazine in, 3:14  
     tract, mustards in, 2:13  
 RHEUMATIC FEVER, Navy, 1:1  
     salicylate therapy in, 10:1  
 RHUS, (genus of trees) dermatitis  
     from, 5:14  
 RIBOFLAVIN, requirements and  
     equivalents, 12:16  
 RITTER DENTAL UNITS, prevention  
     of corrosion in, 12:23  
 ROACH, control, pyrethrum no  
     longer available, 13:12  
 RUBBER, dressings, 1:11  
 RUBELLA, isolation of, 4:2  
 SACROCCYGEAL CYSTS, primary  
     closure in, 1:8  
 SALICYLATE, hypoprothrombinemia  
     after administration of, 4:14

## SALICYLATE

solution, preparation of, 12:6  
therapy, rheumatic fever, 10:1

SALICYLIC ACID, instillation into  
rabbit bladder, 3:9

SALMONELLA, infections, 4:18

SALT, requirements in hot climate,  
4:8

SANITATION, independent duty, prob-  
lems of, 12:7

SANITUBE, trademark, 10:11

SCABIES, benzyl benzoate in treat-  
ment of, 2:17

SCARLET FEVER, isolation of, 4:2  
sulfadiazine prophylaxis of, 3:6

SCHISTOSOME, dermatitis, 9:4

SCHISTOSOMIASIS, occurrence in  
S. Tunisia, 2:17

"SCOTCHLITE", arm bands, use in  
dimout areas, 3:4

SCRUB TYPHUS, description of, 13:1

SEA, SURVIVAL ON LAND AND, 10:18  
water, control of *A. albimanus* by,  
2:11

water, use for washing films and  
papers, 1:14

SEAPORCEL, fireproof ceramic coat-  
ing for ships, 3:10

SEASICKNESS, chronic, 6:20  
present status of research on, 8:4

SEDATION, psychiatric treatment,  
role of in, 6:1

SENSITIZATION, cutaneous, to sulfa-  
thiazole, 7:10

SEROLOGY, syphilis, verification test  
in, 4:17

SERUM, adequate amounts important,  
2:5

bilirubin determination, 7:8

human, jaundice following inoculation  
of, 8:7

meningococcus infections, therapy of,  
11:15

penicillin, antibacterial effect in, 10:14

S-461, ointment, 1:20

SHACKS, HEALTH, 11:22

SHARK REPELLENTS, experimen-  
tation, 6:9

SHATTERPROOF LENSES, combat,  
7:14

SHIELD, face, 11:17

SHIRT, arm sling from, 9:13

SHOCK, burn, 4:13

hemorrhagic, thiamine in, 2:17

human serum albumin in the treat-  
ment of, 12:19

recent literature on, 11:6

sodium chloride and liver fraction  
in, 3:7

SINUSITIS, streptococci in, 5:18

SKIN, diseases from tree oil, 5:14

grafting, fibrinogen and thrombin  
in, 10:7

grafting, new method of, 4:7

irritants, absence of in poison ivy,  
mustard and lewisite vesicle fluid,  
6:18

mustards in, 2:13

reaction, sulfathiazole, 7:9

SLING, arm, improvised from shirt,  
9:13

SMALLPOX, Algeria, 3:15; 5:15; 6:19;  
7:14; 8:21; 11:23; 12:26

Basutoland, Africa, 13:21

Belgian Congo, 6:19

Belgium, 3:15

Brazil, 8:21

British Guiana, 5:15

Dahomey, 5:15

French Guinea, 5:15; 11:23

Indochina, 1:10; 5:15; 6:19; 8:21;  
11:23; 12:26; 13:21

Iran, 3:15; 5:15; 11:23

isolation of, 4:2

Mauritania, 13:21

Mexico, 5:15

Morocco, 3:15; 5:16; 7:14; 12:26

Niger Territory, 5:16; 13:21

Portugal, 5:16

Spain, 7:14

Sudan, 5:16; 11:23; 13:21

Syria and Lebanon, 5:16

Turkey, 5:16; 6:19; 8:21; 11:23



SOCIAL FACTORS, crime and, 1:14  
 SODIUM, chloride, prevention of  
     burn-shock, 3:7  
     salicylate solution, preparation of,  
         12:6  
     salts, use in burns, 7:2  
 SORES, desert, relation of sunlight  
     to, 3:3  
     desert, tropical ulcers and, 9:2  
 SPECIMENS, collection and shipment  
     of, 8:10  
     labeling and packing of, 5:18  
     mosquito, collection of, 5:24  
     rats and other mammals, 12:22  
 SPEECHES, permission for, 11:28  
 SPONDYLITIS, ankylosing, chronic  
     brucellosal type of, 4:4  
 SPUTUM, pneumococcic pneumonia,  
     prognosis of, 4:13  
 STAIN, Giemsa, 4:13  
 STAPHYLOCOCCUS, aureus, penicillin  
     for, 10:14  
     poisoning agent in ham, 5:3  
 STARCH, digestibility of, 10:4  
 STERILIZATION, drinking water in can-  
     teens, 7:17  
     drinking water in Lyster bags, 8:22  
     steam, of dishes, 6:5  
     sulfonamides, method of, 6:12  
 STOMACH, simultaneous carcinoma and  
     tuberculosis with pernicious anemia,  
         3:11  
     war and, 2:9  
 STREPTOCOCCUS, carrier, 12:6  
     hemolytic, 5:18  
     hemolytic, versatility of, 13:9  
     infections, importance to Navy, 11:1  
     infections, isolation of, 4:2  
 SUBCUTANEOUS INJECTIONS, use of  
     zinc to prolong action, 6:6  
 SUBMARINE, training, pharmacists'  
     mates, 5:26  
 SUCCINYLSULFATHIAZOLE, bacillary  
     dysentery, 2:12  
 SULFADIAZINE, impetigo, treatment  
     with, 11:11  
     prophylaxis, scarlet fever, 3:6  
     renal complication in cases under, 11:11  
     respiratory infections, 3:14  
 SULFAGUANIDINE, bacillary dysen-  
     tery, 2:11  
     buttock wounds, 5:6  
     cholera, 11:9  
 SULFAMERAZINE, clinical evaluation  
     of, 8:6  
 SULFANILAMIDE, hepatic damage  
     and, 11:10  
 SULFAPYRIDINE, malignant leuko-  
     penia, 2:3  
 SULFASUXIDINE, bacillary dysentery,  
     2:12  
 SULFATHIAZOLE, cutaneous sensi-  
     tization due to, 7:10  
     inhibitory effect of procaine on, 1:5  
     typhoid, ineffectiveness of, 2:7  
 SULFONAMIDES, acquired resistance  
     of pneumococci to, 5:12  
     alcohol and, 11:4  
     burns and, 7:5  
     cerebrospinal fever and, 11:9  
     combatant dosage record, impor-  
         tance of, 3:3  
     dysentery carriers and, 12:8  
     dysentery, comparative effective-  
         ness of in, 12:9  
     first-aid packet containing, 1:27  
     levels, determination of, 5:4  
     molar sockets, use of in, 8:14  
     ocular infections and, 2:11  
     ointments, 3:10  
     powder, no longer in Army packages,  
         9:10  
     sterilization of, 6:12  
     thiamine, inhibitor, 12:16  
 SULFONAMIDURIA, detection of, 1:4  
 SULFUR TRIOXIDE, chemical warfare  
     chart, 10:21  
 SUNBURN, 11:13  
 SUNLIGHT, dark adaptation, effect  
     on, 13:11  
     desert sores and, 3:4  
 SUPPRESSIVE TREATMENT, malaria,  
     3:5  
 SURVIVAL, ON LAND AND SEA, 10:18  
     recipe for, 5:11  
 SUTURES, cotton, 1:2  
 SWEAT, vitamin loss in, 8:9

SYPHILIS, anti-luetic therapy in  
     Navy, 4:5  
     arsenical reactions, 8:3  
     death rate 1942, 13:13  
     early, treatment of, 4:5  
     penicillin in, 10:6  
     26-week treatment of, 4:6  
     verification test in, 4:17  
 TACHYCARDIA, paroxysmal, acetyl-  
     B-methylcholine in, 13:18  
 TANNIC ACID, toxicity to liver,  
     9:19  
 TEETH, abrasive dentifrices and,  
     7:17  
 TERMINOLOGY, malaria, 5:3  
 TETANY, hyperventilation, relief  
     of, 1:8  
 THERMIT, chemical warfare chart,  
     10:21  
 THIAMINE, biosynthesis of, 12:16  
     requirements and equivalents,  
         12:16  
     shock, protection against, 2:17  
 THROAT, infections of, 5:18  
 THROMBIN, blood derivative, 10:7  
     skin grafting, use of in, 10:7  
 THROMBOCYTOPENIA, sulfanila-  
     mide and, 11:10  
 THYROID, tolerance, 7:8  
 TICK-BORNE DISEASE, Bullis fever,  
     7:11  
 TINCTURE OF IODINE, drinking  
     water sterilization, 2:19  
 TITANIUM TETRACHLORIDE, chemi-  
     cal warfare chart, 10:21  
 TOCOPHEROLS, fibrositis, therapy,  
     4:14  
 TONGUE, hydration index, 11:21  
 TONSILLITIS, streptococci in, 5:18  
 TOURNIQUET, contra-indications of,  
     13:22  
     limb, application of, 11:14  
 TOXICITY, atabrine, 12:17  
     boric acid, 5:9  
     tannic acid, 9:19  
 TOXOID, Clostridium welchii, 7:13  
 TRANSFUSED HUMAN RED CELLS,  
     viability of, 1:6  
 TRANSFUSION, blood, malaria and,  
     12:10  
     blood, emergency, 3:10  
     reactions, 2:10  
     whole blood, 1:8  
 TREMATODE, diseases, monograph  
     on, 9:5  
 TRENCH MOUTH, arsenicals and,  
     13:16  
     types and treatment, 7:17  
 TRICHINOSIS, studies on, 8:10  
 TROPICAL MEDICINE, society meet-  
     ing, 4:18  
 TSUTSUGAMUSHI FEVER, scrub ty-  
     phus, 13:1  
 TUBERCLE BACILLI, books and,  
     1:11  
 TUBERCULOSIS, death rate 1942,  
     13:13  
     stomach, with carcinoma and per-  
         nicious anemia, 3:11  
 TYPHOID, ineffectiveness of sulfa-  
     thiazole and immune serum, 2:7  
     vaccine, effectiveness of, 11:21  
 TYPHUS, scrub, 13:1  
 TYPHUS FEVER, Algeria, 1:10; 3:15;  
     5:16; 6:19; 7:14; 8:21; 11:23; 12:27  
     Bulgaria, 6:19; 7:14; 11:23; 13:22  
     Ecuador, 11:23  
     Germany, 5:16; 11:23  
     Guatemala, 1:10; 3:15; 5:16  
     Hungary, 1:10; 3:15; 5:16; 6:19;  
         8:21; 11:23; 13:22  
     Iran, 3:15; 3:16; 11:23; 13:22  
     Iraq, 1:10; 3:15; 6:20  
     Irish Free State, 1:10  
     Mexico, 3:16; 5:17  
     Morocco, 3:16; 5:17; 7:14; 11:23;  
         12:27  
     Palestine, 13:22  
     Rumania, 1:10; 3:16; 5:17; 6:20;  
         7:14; 8:21; 11:23; 12:27; 13:22  
     Slovakia, 3:16; 5:17; 6:20; 7:14;  
         8:21; 11:23; 12:27; 13:22



## TYPHUS FEVER

Spain, 1:11; 3:16; 5:17; 7:14; 8:21;  
11:23; 13:22

Spanish Morocco, 1:11

Tunisia, 8:21

Turkey, 3:16; 5:17; 6:20; 8:21; 11:23

Union of South Africa, 13:22

ULCER, duodenal, jejunal grafts in,  
11:18

peptic, 2:9

tropical, 3:3; 9:2

UNDULANT FEVER, 4:3

UNVENTILATED HOLDS, death in,  
6:14

UREA, gonorrhea, use of in, 13:18

URETEROSPASM, treatment of, 2:16

URTICARIA, parenteral fluid adminis-  
tration, reaction to, 13:5

VACCINE, jaundice following, 8:7

plague, 5:21

typhoid, effectiveness of, 11:21

yellow fever, 10:4

VECTORS, flies, 7:6

VENEREAL DISEASES, minor, discus-  
sion of, 3:1

VERIFICATION TEST, syphilis serology,  
4:17

VESICLE FLUID, poison ivy, mustard,  
and lewisite, 6:18

VETERANS ADMINISTRATION, offer  
of, 6:7

VINCENT'S INFECTION, 7:17; 13:16

VISIBLE DISTANCES, setting of, 1:11

VISION, night, adaptometer for testing,  
7:12

night, elements of, 11:4

VITAMIN A, color blindness and, 11:6  
requirements and equivalents, 12:16

VITAMIN B<sub>1</sub>, requirements and equiva-  
lents, 12:16

VITAMIN B<sub>2</sub>, nicotinic acid component  
of, 7:17

VITAMIN C, loss in cooking, 13:19  
requirements and equivalents, 12:16  
wound healing and, 12:14

VITAMIN D, requirements and equiva-  
lents, 12:16

VITAMIN E, primary fibrositis and,  
4:14

VITAMINS, loss in sweat, 8:9  
requirements and equivalents, 12:16

VOLUNTEERS, experimental work,  
appreciation of, 12:25

V-12 PROGRAM, education under, 5:19

WAR, stomach in, 2:9

WARFARE, chemical, 4:10

WARTS, plantar, 1:6

WATER, immersion in, 5:5

Lyster bag, 9:10

-pitressin test in epilepsy, 13:20

removal of amebae from, 13:3

requirements in hot climates, 4:8

sea, control of Anopheles with, 2:11

sterilization of, 2:19; 7:17; 8:22

super-chlorinated, removal of  
taste, 12:21

super-iodinated, removal of taste,  
8:22; 12:21

WATERTIGHT SUITS, protective  
value of, 5:5

WAVELL, Sir Archibald, order, 2:1

WEIL'S DISEASE, epidemic hepatitis,  
resemblance to, 5:1

WHITE PHOSPHORUS, chemical war-  
fare chart, 10:21

WHOLE BLOOD, filtration of, 4:15  
penicillin, antibacterial effect in,  
10:14

preservation of, 10:4

respective merits of, 8:1

safe in military use, 12:19

transfusion, 1:8

WHOOPIING COUGH, isolation of, 4:2

WOMEN'S RESERVE, medical corps  
officers in, 1:6

WOUNDED, evacuation of, 1:3  
German anesthetic use, 2:12

WOUNDS, bullet, 3:8

carbon dioxide, 2:3

cerebral fungus in, 9:1

chest, 12:1

dressings, 1:11

excision, 4:16

face, 7:16

## WOUNDS

fuel oil in, 5:18  
gunshot, 1:3  
head, 1:2; 8:9  
healing, 12:13  
infected, German report on, 2:11  
penicillin in, 2:22  
X-RAY, chest, limitations of, 3:11  
recruits, chest surveys of, 7:2  
therapy of virus pneumonia, 2:12  
YELLOW FEVER, Belgian Congo,  
3:16; 5:17; 9:11

## YELLOW FEVER

Brazil, 8:22  
Colombia, 6:20  
Dahomey, Djougou, 13:22  
Dahomey, Natitingou, 12:27  
Gold Coast, 5:17; 13:22  
Nigeria, 8:22  
Sierra Leone, 5:17  
vaccine, India, 10:4  
vaccine, jaundice following, 8:7  
ZINC, subcutaneous injections, pro-  
longation of action of, 6:6